



## HydroTap G5 B60 Classic Plus Chrome

Boiling



**Finish:** Chrome

**Product code:** H55706Z00AU

**Capacity:** Commercial

Zip HydroTap Classic Plus Boiling Filtered water tap features simple, intuitive controls including continuous flow to fill bottles, Boiling water safety lock, and antimicrobial protection impregnated within the new Classic Plus touch-pad for enhanced hygiene. The water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including 2 boiling water safety modes, 3 energy saving modes including ON/OFF timers and sensor activated 'sleep when it's dark', antimicrobial protection impregnated into key water paths for enhanced hygiene, and 0.2 micron water filtration.

## Specifications

Product name	HydroTap G5 B60 Classic Plus Chrome
Product code	H55706Z00AU
Filtered water type	B
Product approvals	WaterMark, RCM
Warranty	5 years (appliance warranty 36 months plus additional 24 months tank warranty)

## Capacity, weight & dimensions

Number of people	41-60
Boiling cups per hour	160

## Plumbing

Water supply requirements	Cold
Water connection	1/2" BSP (G1/2)
Water valves	Integrated 500kPa Pressure limiting valve and Dual Check Valve
Water pressure	Min 170kPa - Max 700kPa

## Electrical

Power rating	1.8kW 220-240V 50Hz
Power supply	1 × 10 Amp socket outlet

## Tap design

Tap	Zip HydroTap CLASSIC PLUS Tap (Chrome)
HydroTap style	Classic Plus
Finish	Chrome

## Command centre

Dimensions	W280mm x D313mm x H333mm
------------	--------------------------

# Installation

## Installation requirements

1. Installation and connection of your Zip HydroTap must be carried out by a Zip Certified service technician, observing national and local regulations.
2. You will require suitable mains electrical and drinking water connections, plus waste water drainage all within 1 metre of the product.
3. Zip HydroTap is air-cooled so discrete cabinetry cut-outs are required for ventilation.
4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
5. Installation by Zip Professional Service can be arranged with a phone call or through [www.zipwater.com/book-service-visit](http://www.zipwater.com/book-service-visit)

## Files

Installation Layout 3D (DWG)

BK12 HydroTap G5 v1.04 11.23 B, BA

### Ventilation requirements

Contact your local service provider if ventilation is not suitable

#### Clearance envelope

Position the Tap and the Command Centre as close together as possible.

200  
333  
50 Command Centre width 50

### HydroTap Tap options

Classic Plus 116, Classic 116, Elite Plus 112, Touch-Free Wave 116

116 216 126 126 126 221 134 116 208 126 126 116 214 126 100 116 214 126 100 116 214 126 100

100mm clearance envelope required. For Sink installations, install on the left-hand side of the Sink for ease of access to Boiling water function.

### Font options

#### Raised Font with 135mm Extension part no. 95258

116 116 46 260 351 20 116 268

#### Font with 135mm Extension part no. 90915

116 46 260 351 104 6 116 219

#### Tap Positioning

Position the Tap to dispense into the sink, allowing clearance for a cup or teapot. Alternatively, mount the HydroTap Tap on a Font (available as an accessory).

35mm hole for HydroTap Tap

Sink

#### Cutting detail

10 for M6 stud 86 hole for bowl 35 hole for tap 152 116 164

#### Cutting detail

108 hole for bowl 35 hole for tap 10 for M6 stud 104 60 219

4mm buffer pad air space

Classic Plus Tap 216

Clearance Envelope

200 min. 333

Mains cold water isolation valve (not supplied) 50 min. 280 50 min.

Air inlet grille IEC Flex & Plug 230-240V, 50Hz power outlet

313

## HydroTap G5 B60, BA60

shown with "Classic Plus" Tap

SCALE 1:5  
ALL DIMENSIONS IN MM UNLESS OTHERWISE SPECIFIED. INSTALLATION DIAGRAMS ARE FOR ILLUSTRATIVE PURPOSES ONLY. HOSES ARE NOT SHOWN TO SCALE AND CANNOT BE LENGTHENED.

Installation Layout (PDF)

# BIM files

LCF

↓ ArchiCAD Swift  
Globals Library  
(LCF)

LCF

↓ ArchiCAD Zip Water  
Library (LCF)

RFA

↓ Revit Project File  
(RFA)

RVT

↓ Revit Virtual  
Showroom (RVT)

↓ Download all

# Certifications



Environment  
ISO 14001



OHS  
ISO 45001



Quality  
ISO 9001



PDF

↓ Environment ISO  
(PDF)

PDF

↓ Environmental  
Product Declaration  
Brochure (PDF)

PDF

↓ Filter performance  
(PDF)

PDF

↓ Health & Safety  
(PDF)

PDF

↓ Quality ISO (PDF)

# Manuals & brochures



↓ Brochure (PDF)



↓ Instruction manual (PDF)



↓ Quick guide (PDF)



↓ Tap operation label (PDF)



↓ User manual (PDF)

↓ Download all

# Accessories



90915Z0002

Font Kit Chrome



95258Z0002

Font Kit Raised Chrome