



## HydroTap G5 BC60 Classic Accessible Chrome

Boiling Chilled



**Finish:** Chrome

**Product code:** H5D704Z00AU

**Capacity:** Commercial

Zip HydroTap Classic Accessible Boiling, Chilled, Filtered features large brightly coloured Braille lever handles. The system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including 2 boiling water safety modes, 3 energy saving modes including ON/OFF timers and sensor activated 'sleep when it's dark', 'Quiet' mode with automated intelligent fan speed adjustment, antimicrobial protection impregnated into key water paths for enhanced hygiene, 100% water efficient air cooled technology, and 0.2 micron water filtration. Easy to install integrated ventilation tray included.

# Specifications

|                     |                                                      |
|---------------------|------------------------------------------------------|
| Product name        | HydroTap G5 BC60 Classic Accessible Chrome           |
| Product code        | H5D704Z00AU                                          |
| Filtered water type | BC                                                   |
| Chilling Technology | Air cooled technology making it 100% water efficient |

# Capacity, weight & dimensions

|                       |       |
|-----------------------|-------|
| Number of people      | 41-60 |
| Boiling cups per hour | 160   |
| Chilled cups per hour | 175   |

# Plumbing

|                           |      |
|---------------------------|------|
| Water supply requirements | Cold |
|---------------------------|------|

# Electrical

|              |                          |
|--------------|--------------------------|
| Power supply | 1 × 10 Amp socket outlet |
|--------------|--------------------------|

# Tap design

|                |                                              |
|----------------|----------------------------------------------|
| Tap            | Zip HydroTap CLASSIC ACCESSIBLE Tap (Chrome) |
| HydroTap style | Classic Accessible                           |
| Finish         | Chrome                                       |

# Command centre

|            |                          |
|------------|--------------------------|
| Dimensions | W395mm x D487mm x H333mm |
|------------|--------------------------|


# Installation

## Installation requirements

1. Installation and connection of your Zip HydroTap must be carried out by a qualified person, observing national and local regulations.
2. You will require suitable mains electrical and drinking water connections, plus waste water drainage. The HydroTap must be installed to within the limits of the hose and cable lengths supplied.
3. **Discrete cabinetry cut outs are required for airflow. 40mm minimum clearance on cupboard base overhang required otherwise alternative installation options are available.**
4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
5. Installation by Zip Professional Service can be arranged with a phone call or through [www.zipwater.com/book-service-visit](http://www.zipwater.com/book-service-visit)

## Files

Installation Layout 3D (DWG)




Installation Layout (PDF)

# BIM files



↓ ArchiCAD Zip Water Library (IFC)



↓ Revit Project File (RFA)



↓ Revit Virtual Showroom (RVT)

↓ Download all

# Certifications



Environment ISO 14001



OHS ISO 45001



Quality ISO 9001



↓ ARC (PDF)



↓ Environment ISO (PDF)



↓ Environmental Product Declaration Brochure (PDF)



↓ Filter performance (PDF)



↓ Health & Safety (PDF)



↓ HydroTap Clean SDS (PDF)



↓ Quality ISO (PDF)

# Manuals & brochures



↓ Brochure (PDF)



↓ Instruction manual (PDF)



↓ Quick guide (PDF)



↓ Tap operation label (PDF)



↓ User manual (PDF)

↓ Download all

# Accessories



90915Z0002

Font Kit Chrome



95258Z0002

Font Kit Raised Chrome